

### **3M**

### 3M™ E-A-Rsoft™ FX™ Earplugs

- » Poly bag keeps each pair of earplugs clean before use
- » Bell shape allows easy fitting and removal
- » Noise Reduction Rating (NRR)\* 33 dB. CSA Class AL

ITEM #	ORDER#	DESCRIPTION	UOM
312-1260	665572795	Corded	200 Pr/Bx
312-1261	665572805	Uncorded	200 Pr/Bx

### **3M**

### 3M™ E-A-Rsoft™ Yellow Neons™ and Yellow Neon Blasts™ Disposable Foam Earplugs

- » Soft, pliable foam offers comfort for wearing over an extended time
- » Low-pressure foam makes plugs less noticeable
- » Earplugs are easy to roll down for quick and easy insertions
- » Noise reduction rating (NRR)\* 33 dB CSA Class AL
- » Poly bag keeps each pair of earplugs clean before use

ITEM #	ORDER #	DESCRIPTION	UOM
311-1250	665572075	Yellow Neon, Corded	200 Pr/Bx
312-1250	665522765	Yellow Neon, Uncorded	200 Pr/Bx
311-1252	665563975	Yellow Neon Blasts, Corded	200 Pr/Bx
312-1252	665572295	Yellow Neon Blasts, Uncorded	200 Pr/Bx






### 3M<sup>™</sup> E-A-R<sup>™</sup> Caboflex<sup>™</sup> Model 600 Hearing Protector

- » Silicone tips contain a foam core for an effective seal and good noise reduction
- » Flexible band can be worn under the chin for use with hard hats
- » Ideal for intermittent hearing protection needs
- » Replacement pods also available
- » Noise Reduction Rating (NRR)\* 20 dB when the band is worn under-the-chin; 17 dB when the band is worn behind-the-head. CSA Class BL

ITEM#	ORDER#	DESCRIPTION	UOM
320-2001	665564265	Yellow Neon, Banded	10/Bx



### 3M™ E-A-R™ Caps™ Model 200 Hearing Protector

- » Soft foam caps block the entrance to the ear canal. Band is worn under the chin
- » Ideal for intermittent protection needs.
- » Noise Reduction Rating (NRR)\* 17 dB. CSA Class BL
- » Test compatible with 3M™ E-A-Rfit™ Validation System

ITEM#	ORDER#	DESCRIPTION	UOM
321-2101	665574965	Yellow Neon Caps, Banded	10/Bx

<sup>\*</sup>The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. Noise Reduction Rating (NRR): dB CSA Class AL. Test compatible with 3M™ E-A-Rfit™ Validation System. 3M™ is Leading the Advancement of Hearing Conservation™.



### 3M<sup>™</sup> E-A-R<sup>™</sup> Classic<sup>™</sup> Earplugs

- » 3M™ E-A-R™ Classic™ Earplugs set the standard in hearing protection as the world's first foam earplugs
- » One size comfortably fits most ear canals
- » Bright yellow allows quick hearing protection compliance checks



ITEM #	ORDER #	DESCRIPTION	UOM
311-1081	665522485	(NRR)* 29 dB, Classic Corded, Econopack	500 Pr/Bx
312-1082	665572785	(NRR)* 29 dB, Classic Uncorded, Econopack	1,000 Pr/Bx
311-6000	665572765	(NRR)* 31 dB, Classic Soft, Uncorded	200 Pr/Bx
310-1001	665564465	(NRR)* 29 dB, Classic Uncorded, Pillow Pack	200 Pr/Bx
311-1101	665522755	(NRR)* 29 dB, Classic Corded, Poly Bag	200 Pr/Bx
312-1201	665521395	(NRR)* 29 dB, Classic Uncorded, Poly Bag	200 Pr/Bx
310-1101	665572675	(NRR)* 33 dB, Classic Plus, Uncorded, Pillow Pack	200 Pr/Bx
311-1105	665573745	(NRR)* 33 dB, Classic Plus, Corded, Poly Bag	200 Pr/Bx
390-1000	665564475	(NRR)* 29 dB, Classic Uncorded, Value Pack Dispenser	200 Pr/Bx
391-1001	665521305	(NRR)* 29 dB, Classic Uncorded Refill Bottles for One Touch Dispenser	500 Pr/Btl

## 3M™ E-A-R™ Classic SuperFit™ 30 and 33 Earplugs



- » Orange "fitting ring" provides a guideline for proper insertion and quick visual compliance check
- » Slow recovery, low pressure foam yet stiff enough to make fitting easy
- » Standard size earplug fits most people comfortably
- » Dermatologically safe foam is non-irritating
- » Moisture and flame resistant

ITEM #	ORDER#	DESCRIPTION	UOM	
Pillow Pack				
310-1008	665572635	(NRR)* 33 dB, Uncorded	200 Pr/Bx	
310-1009	665572645	(NRR)* 30 dB, Uncorded	200 Pr/Bx	
Poly Bag				
311-1125	665573785	(NRR)* 33 dB, Corded	200 Pr/Bx	



312-1222

### 3M™ E-A-R™ E-Z Fit™ Earplugs

- » Bell-shaped earplugs roll down easily and then expands to block noise
- » Poly bag keeps each pair of earplugs clean before use
- » Ideal for smaller ear canals

ITEM #	ORDER #	DESCRIPTION	UOM
312-1208	665520855	(NRR)* 28 dB, Uncorded	200 Pr/Bx
312-1222	665564205	(NRR)* 28 dB, Corded	200 Pr/Bx

<sup>\*</sup>The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. Noise Reduction Rating (NRR): dB CSA Class AL. Test compatible with 3M™ E-A-Rfit™ Validation System. 3M™ is Leading the Advancement of Hearing Conservation™.





### **3M**

# 3M<sup>™</sup> E-A-R<sup>™</sup> UltraFit<sup>™</sup> Netal Detectable Earplugs

- » Metal-detectable ball bearing for high detectability
- » Premolded, triple flange earplugs fit comfortably in a wide range of ear sizes
- » Soft polymer is washable and reusable

ITEM #	ORDER#	DESCRIPTION	UOM
340-4007	665574985	(NRR)* 21 dB, Corded, Poly Bag	100 Pr/Bx
340-4017	665522155	(NRR)* 21 dB, Corded,	200 Pr/Bx
		Econopack	



- » Designed for food processing and other industries where it is critical to keep earplugs from contaminating products and processes
- » Paddle-style grips provide quick, clean and consistent placement of earplugs
- » No-roll design keeps fingers, earplugs and ears clean

ITEM #	ORDER#	DESCRIPTION	UOM
311-1127	665573795	(NRR)* 26 dB, Corded	100 Pr/Bx



 ITEM #
 ORDER #
 DESCRIPTION
 UOM

 311-4106
 665574835
 (NRR)\* 32 dB, Corded
 200 Pr/Bx



#### 311-1114

### 3M™ E-A-R™ Express™ Pod Plugs™

- » Paddle-style grips provide quick, clean, and consistent placement of earplugs
- » No-roll design keeps earplugs, and ears clean, even when fingers or gloves are dirty
- » Reusable pillow pack helps keep earplugs clean when they are not being worn

ITEM #	ORDER#	DESCRIPTION	UOM
311-1114	665572275	(NRR)* 25 dB, Blue Grips, Corded	100 Pr/Bx
311-1115	665574975	(NRR)* 25 dB, Assorted Color Grips, Corded,	100 Pr/Bx
321-2100	665564275	(NRR)* 25 dB, Blue Grips, Uncorded	100 Pr/Bx
321-2200	665574665	(NRR)* 25 dB, Assorted Color Grips, Uncorded	100 Pr/Bx



### 3M™ E-A-R™ Push-Ins™ Earplugs

- » Soft, flexible foam conforms to the unique shape of each ear for comfortable noise reduction
- » Flexible stem makes insertion and removal cleaner and easier
- » Poly bag keeps earplugs clean before use

ITEM #	ORDER#	DESCRIPTION	UOM
318-1000	665564225	(NRR)* 28 dB, Uncorded	100 Pr/Bx
318-1001	665564235	(NRR)* 28 dB, Corded	100 Pr/Bx
318-1002	665564245	(NRR)* 28 dB, Uncorded	200 Pr/Bx
318-1003	665573665	(NRR)* 28 dB, Corded	200 Pr/Bx

<sup>\*</sup>The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. Noise Reduction Rating (NRR): dB CSA Class AL. Test compatible with 3M™ E-A-Rfit™ Validation System. 3M™ is Leading the Advancement of Hearing Conservation™.







#### 391-0000

312-1223

### 3M™ One Touch™ Pro Earplug Dispenser

- » Dispenser makes it easy for workers to access earplugs
- » A simple turn of the hand drops earplug into a worker's hand one at a time
- » Drained catch tray, wind side shields and durable plastic construction safeguards earplugs in outdoor
- » Versatile design allows for placing on countertops or wall mounting
- » Refill bottle not included

ITEM#	ORDER#	DESCRIPTION	UOM
391-0000	665542071	Earplug Dispenser	EA



### 3M™ E-A-R™

### **TaperFit™ 2 Earplugs**

- » Tapered earplugs fit easily and comfortably into ear canals
- » Earplugs roll down easily and then expands to block noise
- » Soft polyurethane foam conforms to the shape of the ear canal for a snug fit

ITEM#	ORDER#	DESCRIPTION	UOM
312-1219	665564195	(NRR)* 32 dB, Uncorded, Regular Size	200 Pr/Bx
312-1223	665564445	(NRR)* 32 dB, Corded, Regular Size	200 Pr/Bx
312-1221	665520085	(NRR)* 32 dB, Uncorded, Large Size	200 Pr/Bx
312-1224	665564455	(NRR)* 32 dB, Corded, Large Size	200 Pr/Bx

### 3M™ E-A-Rsoft™ One Touch™ Earplug Refills

- » Refill container for One Touch<sup>™</sup> dispenser
- » Uncorded earplugs
- » No packaging waste with each pair



Blasts™




### 3M™ E-A-R™ UltraFit™ Earplugs

- » Premolded, triple flange earplugs fit comfortably in a wide range of ear sizes
- » No need to roll earplugs before fitting so the tips stay clean even if hands are dirty
- » Soft polymer is washable and reusable

ITEM#	ORDER#	DESCRIPTION	UOM
340-4002	665522775	(NRR)* 25 dB, Corded	50 Pr/Bx
		with Carrying Case	
340-4003	665564285	(NRR)* 25 dB, Uncorded	100 Pr/Bx
340-4004	665522475	(NRR)* 25 dB, Corded	100 Pr/Bx

<sup>\*</sup>The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. Noise Reduction Rating (NRR): dB CSA Class AL. Test compatible with 3M™ E-A-Rfit™ Validation System. 3M™ is Leading the Advancement of Hearing Conservation™.





### 3M™ 1100 and 1110 Foam Earplugs

- » Smooth, dirt resistant surface provides better hygiene
- » Earplugs are easy to roll down for quick and easy fitting
- » Tapered design fits comfortably in ear canals
- » Soft polyurethane foam is hypoallergenic

ITEM #	ORDER#	DESCRIPTION	UOM
1100	665511005	(NRR)* 29 dB, Uncorded	200 Pr/Bx
1110	665511045	(NRR)* 29 dB, Corded	100 Pr/Bx



### 3M™ E-A-R™ Skull Screws Earplugs

- » Tough look of threaded metal
- » Soft foam tips feel comfortable for extended wear
- » Cutting-edge look and comfort may increase worker compliance in wearing hearing protection
- » Push-to-fit style means no earplug roll-down is required for easy fitting

ITEM #	ORDER#	DESCRIPTION	UOM
P1300	665570235	(NRR)* 32 dB, Uncorded	120 Pr/Bx
P1301	665521895	(NRR)* 32 dB, Corded	120 Pr/Bx



### 3M<sup>™</sup> No-Touch<sup>™</sup> Foam Earplugs

- » Push-to-fit foam earplugs create a hygienic, noise-reducing seal
- » Push-to-fit style means no earplug roll down required
- » Foam is fused with the LiveWire stem, flexes sideways if impacted during wear

ITEM#	ORDER #	DESCRIPTION	UOM
P2000	665564415	(NRR)* 29 dB, Uncorded	100 Pr/Bx
P2001	665563895	(NRR)* 29 dB, Corded	100 Pr/Bx




### 3M<sup>™</sup> Tri-Flange<sup>™</sup> Earplugs

- » Triple-flanged, premolded earplugs fit comfortably in a wide range of ear sizes
- » Soft, flexible flanges conform to the shape of the ear canal for comfortable noise reduction
- » No need to roll earplugs before fitting so the tips stay clean even if hands are dirty

ITEM #	ORDER#	DESCRIPTION	UOM
P3000	665563965	(NRR)* 26 dB, Vinyl Corded	100 Pr/Bx
P3001	665521905	(NRR)* 26 dB, Cloth Corded	100 Pr/Bx

\*The NRR may overestimate the hearing protection provided during typical use. 3M recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. Noise Reduction Rating (NRR): dB CSA Class AL. Test compatible with 3M™ E-A-Rfit™ Validation System. 3M™ is Leading the Advancement of Hearing Conservation™.





### FirmFit™ Disposable Earplugs

- » FirmFit™ is soft, exerts low expansion pressure on the ear canal
- » Excellent protection in most medium-to-high noise environments
- » Requires less pressure to roll down, slow recovery rate allows plenty of time to correctly insert in ear canal
- » Orange color makes compliance checks easy

ITEM#	ORDER#	DESCRIPTION	UOM
FF-1	341513915	(NRR) 30 dB, Uncorded	200 Pr/Bx
FF-30	341563965	(NRR) 30 dB, Corded	100 Pr/Bx



### Fusion® Reusable Earplugs

HOWARD LEIGHT

Honeywell

- » Patented dual-material design
- » FlexiFirm® stem is easy to grasp, ensuring easy insertion into the ear canal
- » SoftFlange™ creates comfortable seal in the ear canal for superior comfort and protection
- » Unique detachable nylon cord system adapts to virtually any application

ITEM #	ORDER#	DESCRIPTION	UOM
FUS30S-HP	341539515	(NRR) 27 dB, Corded,	100 Pr/Bx
		Size Small	

### Honeywell

HOWARD LEIGHT

### **Laser Lite® Disposable Earplugs**

- » Self-adjusting T-shape polyurethane foam expands easy insertion and wear
- » Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- » Formable foam expands to fit most wearers
- » High-visibility magenta and yellow colors make compliance checks quick and easy

ITEM #	ORDER#	DESCRIPTION	UOM
LL-1	341501475	(NRR) 32 dB, Uncorded	200 Pr/Bx
LL-30	341501495	(NRR) 32 dB, Corded	100 Pr/Bx
LL-1-D	341501485	(NRR) 32 dB, Uncorded	500 Pr/Bx





### Honeywell

HOWARD LEIGHT

### **Laser Trak® Metal Detectable Disposable Earplugs**

- » Non-ferrous metal grommet and bright colors easily detected by visual and automated inspection
- » Formable polyurethane foam expands to fit most wearers
- » Contoured T-shape for easy insertion and wear

ITEM #	ORDER#	DESCRIPTION	UOM
LT-30	341501665	(NRR) 33 dB, Corded	100 Pr/Bx





### Honeywell



### Max Lite® Disposable Earplugs

- » Ideal size for workers with smaller ear canals
- » Low pressure polyurethane foam expands gently for long-term wear
- » Contoured T-shape for easy handling and wear
- » Smooth, soil-resistant closed cell-foam skin prevents dirt build-up

ITEM #	ORDER#	DESCRIPTION	UOM
LPF-1	341501595	(NRR) 30 dB, Uncorded	200 Pr/Bx
LPF-30	341501615	(NRR) 30 dB, Corded	100 Pr/Bx
LPF-1-D	341501605	(NRR) 30 dB, Uncorded	500 Pr/Bx



### **Honeywell**



### **MAX®** Disposable Earplugs

- » Contoured bell shape is easy to insert
- » Contoured design easier to insert, resists tendency to back-out of ear canal
- » Polyurethane foam enhances comfort, especially for long-term wear
- » Smooth, soil-resistant closed cell-foam skin prevents dirt build-up

ITEM #	ORDER#	DESCRIPTION	UOM	
Coral	•			
MAX-1	341501695	(NRR) 33 dB, Uncorded	200 Pr/Bx	
MAX-30	341501735	(NRR) 33 dB, Corded	100 Pr/Bx	
Red/White/Bl	ue			
MAX-1-USA	341501725	(NRR) 33 dB, Uncorded	200 Pr/Bx	
MAX-30-USA	341501755	(NRR) 33 dB, Corded	100 Pr/Bx	
Coral				
MAX-1-D	341501705	(NRR) 33 dB, Uncorded	500 Pr/Bx	
Small - Orange				
MAX-1S	341592425	(NRR) 30 dB, Uncorded, Small	200 Pr/Bx	
MAX-30S	341563415	(NRR) 30 dB, Corded, Small	100 Pr/Bx	





### Honeywell



### **Quiet® Reusable Earplugs**

» Patented "no-roll" design is easy to handle and fit

- » Contoured shape comfortably matches contours of the ear canal
- » Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use
- » Built-in insertion stem makes insertion quick and easy

ITEM#	ORDER#	DESCRIPTION	UOM
QD1	341502045	(NRR) 26 dB, Uncorded	100 Pr/Bx
QD30	341502065	(NRR) 26 dB, Corded	100 Pr/Bx
QD30-RC	341502025	(NRR) 26 dB, Corded with Case	50 Pr/Bx





### Honeywell



### Multi Max® Disposable Earplugs

- » Flexibility and protection in hearing protection with its two-sizes-in-one design
- » Improves individual fit while simplifying inventory
- » Smooth, soil-resistant closed cell-foam skin prevents dirt build-up
- » Formable polyurethane foam expands to fit most wearers



ITEM #	ORDER #	DESCRIPTION	UOM
MM-1	341501785	(NRR) 31 dB, Uncorded	200 Pr/Bx

### Honeywell



### AirSoft® Reusable Earplugs

- » Advanced air pocket design features internal noise-blocking fins
- » Four-flange profile creates better seal in the ear canal
- » Rounded flanges, tapered shape fits better in the ear canal
- » Firm stem facilitates easy insertion and removal


ITEM #	ORDER#	DESCRIPTION	UOM
AS-30R	341501315	(NRR) 27 dB, Red Polycorded with Case	50 Pr/Bx
DPAS-30R	341501345	(NRR) 27 dB, Red Polycorded	100 Pr/Bx
DPAS-30W	341501365	(NRR) 27 dB, White Nylon Corded	100 Pr/Bx
DPAS-1	341501335	(NRR) 27 dB, Uncorded	100 Pr/Bx







**Earplugs** 



### **Honeywell**



### **Banded Earplugs**

- » Smooth, ergonomic pods fit in the ear for maximum protection
- » Patented band design prevents ear pods from touching dirty or contaminated surfaces
- » Lightweight and portable designed especially for intermittent noise hazards
- » Includes pair of replacement pods

ITEM #	ORDER #	DESCRIPTION	UOM
QB1HYG	341501935	(NRR) 27 dB, Inner-Aural Fit	10 Pr/Bx
QB2HYG	341501955	(NRR) 25 dB, Supra-Aural Fit	10 Pr/Bx
QB3HYG	341501975	(NRR) 23 dB, Semi-Aural Fit	10 Pr/Bx
QB200HYG	341501965	QB2RHYG Replacement Pods	50 Pr/Bx

### **Honeywell**



### SmartFit® Metal Detectable Reusable Earplugs

- » Conforming Material Technology™ adapts to the shape of the surrounding ear canal
- » Delivers superior comfort and a truly individual fit
- » Simplifies inventory control a single product can fit almost every wearer
- » Blue color provides high visibility in detection
- » Metal ring on stem detectable by automated equipment

ITEM #	ORDER #	DESCRIPTION	UOM
SDT-30	341502105	(NRR) 25 dB, Corded	100 Pr/Bx






#### Honeywell



### **SmartFit® Reusable Earplugs**

- » Conforming Material Technology™ adapts to the shape of the surrounding ear canal
- » Delivers superior comfort and a truly individual fit
- » Simplifies inventory control a single product fits almost every wearer
- » Detachable cord system and HearPack® storage case

ITEM #	ORDER#	DESCRIPTION	UOM
SMF-30	341502115	(NRR) 25 dB, Corded	100 Pr/Bx



### Honeywell



### **TrustFit® Pod Earplugs**

- » Soft foam dimpled tip collapses to be easily and gently pushed into ear canal
- » No roll-down foam reduces hygiene concerns and makes for easy fit







TRUSTFITPOD-30

ITEM #	ORDER#	DESCRIPTION	UOM
TRUSTFITPOD-1	341574665	(NRR) 28 dB, Uncorded	100 Pr/Pk
TRUSTFITPOD-30	341574675	(NRR) 28 dB, Corded	100 Pr/Pk

### **Honeywell**



### **Howard Leight HL400 Earplug Dispenser**

- » Durable plastic design is an economical choice for dispensing earplugs
- » Holds 400 pairs of Howard Leight™ disposable earplugs
- » Can be mounted to a wall or tabletop or can be free standing
- » Universal hole positions, eliminating the need to drill new holes.
- » Easy twist knob with 180° of access, makes dispensing earplugs easy
- » Supports all Howard Leight™ disposable earplugs: MAX®, MAX® Small, MAXLite®, Laser Lite®, FirmFit®, Multi Max®, and Xtreme®
- » Refills available as prefilled canisters and bags
- » 1/CS



HL400-LPF-INTRO

ITEM #	ORDER#	Description	UOM
HL400-MAX-INTRO	34158002	HL400 Dispenser with 1 prefilled canister of 400 prs. MAX earplugs	CS
HL400-LPF-INTRO	34158003	HL400 Dispenser with 1 prefilled canister of 400 prs. MAXLite earplugs	CS
HL400-LL-INTRO	34158004	HL400 Dispenser with 1 prefilled canister of 400 prs. Laser Lite earplugs	CS
HL400-FF-INTRO	34158005	HL400 Dispenser with 1 prefilled canister of 400 prs. FirmFit earplugs	CS
HL400-XTR-INTRO	34158007	HL400 Dispenser with 1 prefilled canister of 400 prs. X-TREME earplugs	CS
HL400-MM-INTRO	34158008	HL400 Dispenser with 1 prefilled canister of 400 prs. MultiMax earplugs	CS
HL400-MAXS-INTRO	34157936	HL400 Dispenser with 1 prefilled canister of 400 prs. MAX Small earplugs	CS



### **Comets® Reusable Earplugs**

- » Independently tested to ANSI S3.19-1974
- » Finger pocket makes Comets® easy to insert
- » Extra-soft material and an air-cushioned tip provide comfort
- » Triple flange adjusts to most size ear canals to hold the plug in place

ITEM #	ORDER #	DESCRIPTION	UOM
6490	222200505	(NRR) 25 dB, Uncorded	50 Pr/Bx
6495	222200515	(NRR) 25 dB, Corded	100 Pr/Bx



### Rockets® Reusable Earplugs

- » Independently tested to ANSI S3.19-1974
- » NRR 27 dB, with a new sound dampening additive
- » Easy-grip handle lets earplugs easily slip into ear
- » Air bubble in tip provides cushioned comfort
- » Earplugs can be washed and reused







ITEM #	ORDER#	DESCRIPTION	UOM
6400	222200465	Uncorded w/ Pocket-Pak®	50 Pr/Bx
6404	222264045	Corded/Bagged	50 Pr/Bx
6405	222256905	Corded w/ Pocket-Pak®	50 Pr/Bx
6415	222256895	Metal Detectable, Corded/Bagged	50 Pr/Bx
6420	222200475	Cloth Cord w/ Pocket-Pak®	50 Pr/Bx
6480	222200485	Special Ops® Uncorded w/ Pocket-Pak®	50 Pr/Bx
6485	222200495	Special Ops®, Corded w/Pocket-Pak®	50 Pr/Bx



### **Jazz Band® Hearing Protector**

- » NRR 25 dB, independently tested to ANSI S3.19-1974
- » Tapered foam pods, ideal choice for intermittent usage
- » Hangs easily around neck with optional breakaway cord
- » Alternative to earmuffs, does not interfere with eyewear

ITEM #	ORDER#	DESCRIPTION	UOM
6504	222265045	Pods w/ 1 Neck Cord, Kit	5 Pr/Bg
6506	222265065	Band, Cord and Pods	10 Pr/Bx





### Flip to Listen™ Dual Mode Reusable Earplugs

- » NRR 24 dB for noisy environments, NRR 4 when you need to hear
- » Independently tested to ANSI S3.19-1974
- » No need to remove earplugs with Flip Cap
- » Triple flange design provides comfort
- » Pocket-Pak® carrying case, optional cloth cord

ITEM #	ORDER#	DESCRIPTION	UOM
6770	222267705	Flip Cap, Corded	50 Pr/Bx





### MOLDEX

### **Goin' Green® Disposable Foam Earplugs**

- » Independently tested to ANSI S3.19-1974, NRR 33 dB
- » Low-pressure foam for comfort and fit
- » Tapered shaped to fit small ear canals
- » Non-irritating smooth surface

ITEM#	ORDER#	DESCRIPTION	UOM
6620	222200575	Uncorded	200 Pr/Bx
6622	222200585	Corded	100 Pr/Bx
6646	222200615	PlugStation® Uncorded	250 Pr/Dsp
6647	222200625	PlugStation® Uncorded	500 Pr/Dsp







### MOLDEX

### **Pura-Fit® Disposable Foam Earplugs**

- » Independently tested to ANSI S3.19-1974, NRR 33 dB
- » Hygienically packaged in biodegradable paper pouches
- » Softer foam, non-irritating smooth surface
- » Tapered, longer length for easy fitting



6632





6882

ITEM #	ORDER#	DESCRIPTION	UOM
6800	222268005	Uncorded	200 Pr/Bx
6900	222231035	Corded	100 Pr/Bx
6844	222200701	PlugStation® Uncorded	250 Pr/Dsp
6845	222268451	PlugStation® Uncorded	500 Pr/Dsp
6882	222268825	PlugStation® Corded	150 Pr/Dsp



### **Meteors® Disposable Foam Earplugs**

- » Independently tested to ANSI S3.19-1974
- » Soft, slow recovery foam molds easily to the ear canal
- » Innovative undercut design affords a secure fit, all day long

ITEM #	ORDER#	DESCRIPTION	UOM
6630	222266305	(NRR) 28 dB, Small, Uncorded	200 Pr/Bx
6632	222266325	(NRR) 28 dB, Small, Corded	100 Pr/Bx
6870	222268705	(NRR) 33 dB, Uncorded	200 Pr/Bx
6970	222269705	(NRR) 33 dB, Corded	100 Pr/Bx
6634	222266345	(NRR) 28 dB, PlugStation® Small, Uncorded	250 Pr/Dsp
6875	222268755	(NRR) 33 dB, PlugStation® Uncorded	500 Pr/Dsp



687





### MOLDEX

### JETZ® Reusable Earplugs

- » NRR 27 dB, independently tested to ANSI S3.19-1974
- » Extra-soft material and triple flange design seals gently and snugly
- » Cloth cord locks securely to plug
- » Plugs can be washed and reused

ITEM #	ORDER#	DESCRIPTION	UOM
6450	222264505	Uncorded	50 Pr/Bx
6455	222264555	With Cord	50 Pr/Bx

### MOLDEX

### **Softies® Disposable Foam Earplugs**

- » Independently tested to ANSI S3.19-1974, NRR 33 dB
- » Radiant orange color for easy compliance checks
- » Extra-soft, low-pressure, non-irritating foam for comfort and fit
- » Tapered shape for easy insertion even for very small ear canals

ITEM#	ORDER #	DESCRIPTION	иом
6600	222200535	Uncorded	200 Pr/Bx
6650	222200645	Corded	100 Pr/Bx



6600





# 6604



### **SparkPlugs® Disposable Foam Earplugs**

- » Independently tested to ANSI S3.19-1974, NRR 33 dB
- » Extra-soft, low-pressure, non-irritating foam for comfort and fit
- » Tapered shape for easy insertion even for very small ear canals
- » Random multi-color streaks and swirls design
- » 6615/6881 metal detectable versions, the plug and cord are independently detectable for safety

ITEM #	ORDER #	DESCRIPTION	UOM
6604	222200545	Uncorded	200 Pr/Bx
6654	222228235	Corded	100 Pr/Bx
6615	222266155	Metal Detectable, Corded	100 Pr/Bx
PlugStation®			
6644	222200591	Uncorded	250 Pr/Dsp
6645	222200601	Uncorded	500 Pr/Dsp
6880	222268805	Corded	150 Pr/Dsp
6881	222268815	Metal Detectable, Corded	150 Pr/Dsp





6645



6881











### **Mellows® Disposable Foam Earplugs**

- » Independently tested to ANSI S3.19-1974, NRR 30 dB
- » Radiant orange color for easy compliance checks
- » Extra-soft, low-pressure, non-irritating foam for comfort and fit
- » Tapered shape for easy insertion even for very small ear canals

ITEM #	ORDER#	DESCRIPTION	иом
6820	222268205	Uncorded	200 Pr/Bx
6840	222268405	Corded	100 Pr/Bx
6846	222268465	PlugStation® Uncorded	250 Pr/Dsp
6847	222268475	PlugStation® Uncorded	500 Pr/Dsp







6883

### **Glide® Foam Twist In Earplugs**

- » Independently tested to ANSI \$3.19-1974, NRR 30 dB
- » Unique multi-curved stem rotates for a custom fit
- » Large handle on curved stem for easy insertion and removal
- » Large soft foam pod for a comfortable, snug seal
- » Cord can be attached at any desired length

ITEM#	ORDER #	DESCRIPTION	UOM
6940	222269405	Uncorded	100 Pr/Bx
6945	222269455	With Cord	100 Pr/Bx
6883	22220003	PlugStation® with Cord	150 Pr/Dsp



### **Glide® Trio Reusable Earplugs**

- » Independently tested to ANSI S3.19-1974, NRR 27 dB
- » Unique multi-curved stem rotates for a custom fit
- » Large handle on curved stem for easy insertion and removal
- » Soft triple flange plug can be washed and reused
- » Cord can be attached at any desired length

ITEM#	ORDER#	DESCRIPTION	UOM
6445	222264455	With Cord	50 Pr/Bx



### **3M**

#### 3M<sup>™</sup> Model 1000 Earmuffs

- » These lightweight earmuffs may be worn over-the-head, behind-the-head or under-the-chin
- » Large ear cup openings and soft, foam-filled cushions offer a snug, comfortable fit
- » Durable, lightweight construction of non-conductive, dielectric plastic
- » Noise Reduction Rating\* NRR 20 dB (CSA class B) when the band is worn over-the-head. NRR 22 dB (CSA Class A) when the band is worn underthe-chin. NRR 22 dB (CSA Class B) when band is worn behind-the-head

ITEM#	ORDER#	DESCRIPTION	UOM
330-3001	665570081	One Size Fits Most	EA



330-3001



330-3002

### **3M**

#### 3M<sup>™</sup> Model 3000 Earmuffs

- » These lightweight earmuffs may be worn over-the-head, behind-the-head or under-the-chin
- » Large ear cup openings and soft, foam-filled cushions offer a snug, comfortable fit
- » Durable, lightweight construction of non-conductive, dielectric plastic
- » Noise Reduction Rating\* NRR 25 dB (CSA class A) when the band is worn over-the-head. NRR 26 dB (CSA Class AL) when the band is worn underthe-chin. NRR 26 dB (CSA Class AL) when band is worn behind-the-head

ITEM #	ORDER#	DESCRIPTION	UOM
330-3002	665521591	One Size Fits Most	EA

### **3M**

#### 3M™ Peltor™ PTL™ Earmuffs

- » Listening mode capability allows wearer to hear people talk or sounds without removing headset
- » In listening mode, amplified sounds are limited to 87 dB
- » Auto-switch returns earmuffs to normal hearing protection mode after 30 seconds
- » Ear cups with liquid and foam filled cushions

ITEM#	ORDER#	DESCRIPTION	UOM
H7A-PTL	665519711	(NRR)* 26 dB. Over-the-Head	EA





### **3M**

### **3M<sup>™</sup> Peltor<sup>™</sup> Optime<sup>™</sup> 101 Series Earmuffs**

- » Recommended for noise exposures up to 101 dBA
- » Stainless steel band distributes weight for low pressure fit
- » Ear cup pivot points tilt for comfort that adjusts to individual wearers
- » Liquid/foam filled earmuff cushions

ITEM #	ORDER #	DESCRIPTION	UOM
H7A	665570071	(NRR)* 27 dB, Over-the-Head	EA
H7B	665570211	(NRR)* 26 dB, Behind-the-Head	EA
H7P3E	665564431	(NRR)* 24 dB, Cap/Hard Hat Mounted	EA

<sup>\*</sup>The NRR may overestimate the hearing protection provided during typical use. 3M™ recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. 3M™ is Leading the Advancement of Hearing Conservation™.





#### **3M™ Peltor™ X Series Earmuffs**

- » Lightweight, low-profile earmuff designed for protection against low-level \industrial noise and other loud sounds
- » Features an electrically insulated wire headband, often referred to as "dielectric"
- » Wire headband offers consistent pressure over prolonged wearing periods
- » Ear cup pivot points tilt for optimum comfort and efficiency

ITEM #	ORDER#	DESCRIPTION	UOM
X1A	665510071	(NRR)* 22 dB, Over-the-Head	EA
X2A	665510731	(NRR)* 24 dB, Over-the-Head	EA
ХЗА	665511181	(NRR)* 28 dB, Over-the-Head	EA
X4A	665511281	(NRR)* 28 dB, Low-Profile, Over-the-Head	EA
X5A	665511961	(NRR)* 31 dB, Over-the-Head	EA
X5P3E	665521801	(NRR)* 31 dB, Cap/Hard Hat Mounted	EA





### **3M**

### 3M™ Peltor™ Optime™ 105 Series Earmuffs

- » Effective hearing protection for noise exposures up to 105dBA
- » Double-shell technology boosts its noise blocking ability
- » Durable stainless steel band resists bending and warping
- » Patented Twin-Cup™ design has soft, foam-filled earmuff cushions

ITEM #	ORDER#	DESCRIPTION	UOM
H10A	665564031	(NRR)* 30 dB, Over-the-Head	EA
H10B	665570291	(NRR)* 29 dB, Behind-the-Head	EA
H10P3E	665522721	(NRR)* 27 dB, Cap/Hard Hat Mounted	EA
H10AHV	665570111	(NRR)* 30 dB, Hi-Viz Over-the-Head	EA

### **3M**

### 3M™ Peltor™ Optime™ 95 Series Earmuffs

- » Earmuff provide hearing protection against high-frequency noise up to 95 dBA
- » Ultra-light with liquid/foam filled hearing protectors are less noticeable to wear
- » Stainless steel band resists bending and warping
- » Ear cup pivot points tilt for optimum comfort and efficiency

ITEM #	ORDER#	DESCRIPTION	UOM
H6A/V	665570121	(NRR)* 21 dB, Over-the-Head	EA
H6B/V	665570131	(NRR)* 21 dB, Behind-the-Head	EA
H6F/V	665521581	(NRR)* 21 dB, Over-the-Head w/ Folding Cups	EA





### **3**M

### 3M™ Peltor™ Optime™ 98 Series Earmuffs

- » Recommended for noise exposures up to 98 dBA
- » Ultra-light with liquid/foam filled earmuff cushions
- » Stainless steel headband distributes weight for low pressure fit
- » Ear cup pivot points tilt for comfort that adjusts to individual wearers

ITEM#	ORDER#	DESCRIPTION	UOM
H9A	665564061	(NRR)* 25 dB, Over-the-Head	EA
H9P3E	665564051	(NRR)* 23 dB, Cap/Hard Hat Mounted	EA

<sup>\*</sup>The NRR may overestimate the hearing protection provided during typical use. 3M™ recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. 3M™ is Leading the Advancement of Hearing Conservation™.



#### 3M™ Peltor™ WS™ ProTac™ XP Headset

- » Voice microphone includes VOX (Voice Operated Transmit) for hands-free communication
- » DSP (Digital Noise Reduction) provides clear wireless and wired communication

- » Supports Bluetooth® A2DP profile for streaming high quality stereo sound
- » High attenuation for hearing protection in noisy environments
- » External Jacket for optional 2-Way radio connectivity





MT15H7BWS5-77

MT15H7BWS5-77	6655

ITEM #	ORDER #	DESCRIPTION	UOM
MT15H7P3EWS5-77	665536131	(NRR)* 26 dB, Cap/Hard Hat Mounted	EA
MT15H7BWS5-77	665541811	(NRR)* 27 dB, Behind-the-Head	EA
	•	•	

### 3M™ Peltor™ ProTac™ III Headset

- » Professional-quality hearing protection
- » Environmental microphones for leveldependent hearing protection and ambient listening
- » 3.5 mm listen-only stereo input (limited to 82 dB) for connection to external devices (e.g. cell phone, two-way radio, lpod)
- » Voice guided menu system to prevent you from taking the headset off
- » Auto power off after 4 hours of non-use and audible low-battery warning



MT13H220A



ITEM #	ORDER #	DESCRIPTION	UOM
MT13H220A	665541821	(NRR)* 21 dB, Slim, Over-the-Head	EA
MT13H220P3E	665541831	(NRR)* 19 dB, Slim, Cap/Hard Hat Mounted	EA
MT13H221A	665541841	(NRR)* 26 dB, Over-the-Head	EA
MT13H221P3E	665541861	(NRR)* 23 dB, Cap/Hard Hat Mounted	EA



#### 3M™ Peltor™ WorkTunes™ Pro AM/FM Headset

- » Professional-quality hearing protection
- » AM/FM Radio headset with built in antenna, with 5 presets
- » 3.5 mm listen only stereo input (limited to 82 dB) for connection to external devices (e.g. cell phone, two-way radio, Ipod)
- » Auto power off after 4 hours of non-use and audible low-battery warning

ITEM #	ORDER#	DESCRIPTION	UOM
HRXS221A-NA	665538391	(NRR)* 26 dB, Over-the-Head	EA
HRXS221P3E-NA	665538401	(NRR)* 23 dB, Cap/Hard Hat Mounted	EA

<sup>\*</sup>The NRR may overestimate the hearing protection provided during typical use. 3M™ recommends reducing the NRR by 50% for estimating the amount of noise reduction provided. 3M™ is Leading the Advancement of Hearing Conservation™.









Honeywell HOWARD LEIGHT

**VeriShield™ 100 Series Passive Earmuffs** 

- » Large dimension range: Comfortably fits a wide range of head sizes. 17% more adjustable than earlier versions.
- » Wide cup opening: Ideal for workers with larger ears, or who wear hearing aids. Opening area of the cup increased by 16% over earlier versions.
- » Lightweight cushioned headband: Steel-wire construction with padded headband and precision micro adjustments designed for just the right fit around the ear.
- » Memory foam ear cushions: New unique memory foam that combines denser and softer foam than previous models, for greater comfort and attenuation. Reduces squeezing pressure on the head and enhances comfort.
- » Air Flow Control Technology

ITEM #	ORDER#	DESCRIPTION	UOM	
Over-the-Head	d			
1035100-VS	341580631	(NRR) 24 dB, VS110 VeriShield Earmuff	EA	
1035102-VS	341580611	(NRR) 24 dB, VS110F Verishield Folding Earmuff	EA	
1035104-VS	341580601	(NRR) 26 dB, VS120 VeriShield Earmuff	EA	
1035106-VS	341580591	(NRR) 27 dB, VS120FHV VeriShield Hi-Viz Folding Earmuff	EA	
1035108-VS	341580581	(NRR) 30 dB, VS130 VeriShield Earmuff	EA	
1035110-VS	341580571	(NRR) 30 dB, VS130HV VeriShield Hi-Viz Earmuff	EA	
Behind-the-Neck				
1035112-VS	341580561	(NRR) 22 dB, VS110N VeriSheild Earmuff Neckband	EA	
1035114-VS	341580551	(NRR) 25 dB, VS120N VeriShield Earmuff Neckband	EA	
1035116-VS	341580541	(NRR) 28 dB, VS130N VeriShield Earmuff Neckband	EA	
Hard Hat				
341580531	1035118-VS	(NRR) 21 dB, VS110H VeriShield Helmet Earmuff	EA	
341580621	1035121-VS	(NRR) 24 dB, VS120H VeriShield Helmet Earmuff	EA	
341580521	1035124-VS	(NRR) 27 dB, VS130H VeriShield Helmet Earmuff	EA	
341580511	1035127-VS	(NRR) 27 dB, VS130HHV VeriShield Helmet Earmuff Hi-Viz	EA	

1035114-VS



### **Honeywell**



#### QM24+® Earmuffs

- » Dielectric, usable in work environments with electricity
- » Lightweight, makes all-day wear more comfortable
- » Broad ear cushions, comfort for all sizes and headband positions

ITEM #	ORDER#	DESCRIPTION	UOM
QM24+	341502081	(NRR) 25 dB	EA



### **Honeywell**



#### Thunder® Earmuffs

- » Air Flow Control™ Technology provides consistent attenuation, at low frequencies
- » Dielectric construction suitable for electrical environments
- » Uniform headband pressure for all head sizes
- » Quick-Click height adjustment remains fixed during wear
- » Snap-in ear cushions make replacement quick and easy

ITEM #	ORDER#	DESCRIPTION	UOM	
Headband				
1010928	341536771	(NRR) 26 dB, T1, Light Green	EA	
1010970-H5	341536791	(NRR) 30 dB, T3, Black	EA	
Cap/Hard Hat Mounted				
1011601	341500541	(NRR) 23 dB, T1H, Light Green	EA	
1011602	341500551	(NRR) 25 dB, T2H, Dark Green	EA	
1011603	341500581	(NRR) 27 dB, T3H, Black	EA	





1010926

### Honeywell

IFIGHT

### **Viking™ Multiple Position Earmuffs**

- » Multiple-position headband, over the head, behind the head or under the chin
- » Air Flow Control™ Technology provides consistent attenuation, at low frequencies
- » Non-deforming outer headband withstands rough treatment
- » Snap-in ear cushions
- » Includes attached elastic headband strap for better positioning when worn behind the head or under the chin
- » Dielectric construction suitable for electrical environments

ITEM #	ORDER #	DESCRIPTION	UOM
1010925	341500291	(NRR) 25 dB, V1, Light Blue	EA
1010926	341500301	(NRR) 27 dB, V2, Dark Blue	EA
1010927	341500321	(NRR) 29 dB, V3, Black/Silver	EA

\_\_\_\_\_





#### **MX-5 and MX-6 Earmuffs**

- » Soft cushion-ribbed open-air headband
- » Over molded headband is durable, rugged
- » Lightweight wire frame allows easy cup adjustment
- » Extra soft foam/low pressure large ear cushions

ITEM #	ORDER#	DESCRIPTION	UOM
Earmuffs			
6120	222261201	(NRR) 27 dB, MX-5	EA
6130	222261301	(NRR) 30 dB, MX-6	EA
Hygiene Kits			
6125	222261251	For MX-5	EA
6135	222261351	For MX-6	EA



### **MX-7 Cap Mounted Earmuff**

- » Slots into almost all hard hats
- » Lightweight wire frame allows easy cup adjustment
- » Larger cup openings are designed to fit most ear sizes
- » Exclusive waffled cup foam/low pressure large ear cushions

ITEM #	ORDER #	DESCRIPTION	UOM
6140	22220020	(NRR) 28 dB	10 Bx/Cs



- » SoftCoat® covering on the cups helps muffle transmitted noise
- » Black-chrome, spring-steel band that doesn't twist out of shape
- » Six different adjustment points provide fit for most head sizes
- » Folds for easy storage into compact size

ITEM #	ORDER#	DESCRIPTION	UOM
6100	222261001	(NRR) 29 dB	EA



### **M2 Multi-Position Earmuffs**

- » SoftCoat® covering on the cups and yoke helps muffle transmitted noise
- » Cup adjustment is infinitely variable
- » Lightweight plastic headband
- » Molded grips for easy and quick fitting

ITEM #	ORDER #	DESCRIPTION	UOM
6200	222262001	(NRR) 26 dB	EA