



# Lockout/Tagout




50943

## Brady® All Purpose Cable Lockout Device with 8" Cable

- » Compact, lightweight body is made of rugged impact modified glass filled nylon for superior chemical, corrosion and temperature resistance properties
- » Includes 1/8" diameter cable
- » Built-in cable loop keeps cable neatly coiled when stored and prevents it from dangling loose when device is being used

ITEM #	ORDER #	DESCRIPTION	UOM
50943	J05200411	8" Sheathed Metal Cable	1/EA
50941	J05200421	8" Non-conductive Nylon Cable	1/EA



65396

65321



## Brady® Clamp-On w/Cleat Breaker Lockout Device

- » Extremely versatile - works on a wide range of single-pole and internal-trip multi-pole breakers
- » Easy to install using the proprietary thumbwheel design - no screwdrivers needed!
- » Isolates and secures circuit breaker switches to protect employees against electrical accidents during equipment maintenance

ITEM #	ORDER #	DESCRIPTION	UOM
65396	J05200441	120/277V	1/EA
65397	J05200451	480/600V	1/EA
65965	J05200975	120/277V	6/PK
65966	J05200985	480/600V	6/PK
73744	J05200591	277V	1/EA
65321	J05201075	480/600V, Oversized frame lockout fits breaker switches up to 2-1/4 in. wide and 7/8 in. thick	1/EA



65674



## Brady® Electrical Plug Lockout Device

### Electrical Plug Lockout Device

- » Prevents electrical plugs from being inserted into a wall outlet
- » Accommodates a large variety of plug shapes and sizes
- » Constructed of rugged polypropylene

### 3-In-1 Plug Lockout Device

- » Accommodates high and low-voltage plugs up to 3 in. in diameter and 5-1/2 in. in length
- » Two rotating top lids that can be used individually or together to fit small, medium & large-diameter cords up to 1-1/4 in.
- » Made of bright yellow thermoplastic material

ITEM #	ORDER #	DESCRIPTION	UOM
65674	J05200611	110 V, Red	1/EA
65675	J05200621	220/550 V, Red	1/EA
PL023	J05200661	High & Low Voltage, Yellow	1/EA



PL023



65375



## Steel Group Hasps

- » Hasps are constructed of vinyl-coated high tensile steel with rust-resistant plating
- » Hasps allow multiple padlocks to secure a single lockout device

ITEM #	ORDER #	DESCRIPTION	UOM
65375	J05201135	1" diameter jaws	12/PK
65376	J05201145	1.5" diameter jaws	12/PK





# Lockout/Tagout

LOCKOUT/TAGOUT



## Adjustable Gate Valve Lockout Device

- » Adjusts to fit 1 in. to 6 1/2 in. diameter valve handles, replacing three conventional gate valve lockouts
- » Durable polypropylene which is resistant to extreme temperatures ranging from -13 to 194°F (-25 to 90°C)
- » Cover the valve handle with the gate valve lockout device and apply a personal padlock and lockout tag to ensure employee safety



64057

ITEM #	ORDER #	DESCRIPTION	UOM
64057	J05200471	Adjusts to fit 1 in. to 6 1/2 in. diameter valve handles	1/EA



65560



## Brady® Gate Valve Lockout Device

- » Made of extremely rugged injection-molded polypropylene for superior impact and chemical resistance
- » Supplied with English, Spanish and French danger labels
- » Cover the valve handle with the gate valve lockout device and apply a personal padlock and lockout tag to ensure employee safety
- » Accepts padlock shackles up to 3/8" in diameter

ITEM #	ORDER #	DESCRIPTION	UOM
65560	J05200481	Gate valve for 1 - 2.5 in. diameter	1/EA
65561	J05200501	Gate valve for 2.5 - 5 in. diameter	1/EA



## Lockout Tags

- » Excellent write-on surface is ideal for adding on-the-spot customized notes and other information
- » Paper cardstock tags are recommended for indoor use only
- » Not recommended for chemical exposure



65454



ITEM #	ORDER #	DESCRIPTION	Material	UOM
65501	J05201015	Self-Laminating DANGER: DO NOT OPERATE	Polyester	10/PK
65502	J05201025	Overlaminated DANGER: DO NOT OPERATE	Polyester	25/PK
65520	J05201035	Overlaminated DANGER: DO NOT OPERATE (w/ red stripes)	Polyester	25/PK
66050	J05201045	Self-Laminating DANGER: DO NOT OPERATE	Polyester	25/PK
66064	J05201055	Self-Laminating DANGER: DO NOT OPERATE (w/ red stripes)	Polyester	25/PK
65454	J05201065	Not Laminated DANGER: LOCKED OUT DO NOT OPERATE	Paper	25/PK



# Lockout/Tagout

LOCKOUT/TAGOUT



## Lockout Stations



51186



51181



3003Y

### 5-Lock Capacity Padlock Center

- » Holds up to 5 locks, plus lockout hasps and tags
- » Board measures 11-1/2 in. H x 15-1/2 in. W
- » Boards are made of 3/16" thick bright yellow acrylic with acrylic lock rails and clear polycarbonate tag pockets that accommodate tags up to 3" wide

### Economy Lockout Center with Steel Padlocks, Hasps and Tags

- » Kit contains lockout devices for single- and multi-pole breakers and electrical plugs, as well as hasps, padlocks, tags and a training booklet
- » Comes in a convenient toolbox made of rugged polyethylene that measures 4.5 in. H x 12 in. W x 6.5 in. D

ITEM #	ORDER #	DESCRIPTION	UOM
51186	J05200751	5-Lock Capacity Padlock Center with 5 Steel Padlocks	1/EA
51181	J05200761	5-Lock Capacity Padlock Center with 5 Safety Padlocks	1/EA
3003Y	J05200781	Economy Lockout Center with Steel Padlocks, Hasps and Tags	1/EA

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## Group Lock Boxes

### Brady® Metal Wall Lockout Box

- » Durable, powder-coated steel with key slot on top and includes clear Lexan window that slides out when locks are removed
- » Includes key pegs and ID labels to simplify key management, and predrilled holes and hardware for quick mounting



105714



50938

### Wall-Mounted Miniature Group Lockout Box

- » Injection molded using Isoplast polymers for extra durability, has excellent chemical and heat resistance
- » Patented lock rails accommodate up to 8 padlocks and the slot in front allows keys to be inserted when box is locked

### Brady® Portable Metal Group Lockout Box

- » Made of heavy-duty steel and powder coated for extra rust-resistance
- » Accommodates up to 12 padlocks on the lid and can also be used as a lock storage box for up to 40 padlocks
- » Each employee retains exclusive control, as required by OSHA, by placing his own lock on the lockout box containing the keys to the job locks



51171

ITEM #	ORDER #	DESCRIPTION	UOM
105714	J05200701	7 in H x 8 in W x 2.25 in D, Metal Wall Lockout Box	1/EA
50938	J05200681	6.2 in H x 4 in W x 5.5 in D, Wall-Mounted Miniature Lockout Box	1/EA
51171	J05200671	6 in H x 7.375 in W x 9.25 in D, Portable Metal Group Lockout Box	1/EA
65699	J05200691	6 in H x 9 in W x 3.5 in D, Portable Metal Group Lockout Box	1/EA



# Lockout/Tagout



## Lockout Toolbox Kits

### Premium Lockout Toolbox Kit

- » Premium kit includes lockout devices for breakers, wall switches, electrical plugs and gate valves, plus a cable lockout, AC voltage sensor and more
- » Comes in a convenient toolbox made of rugged polyethylene that measures 4.5 in. H x 12 in. W x 6.5 in. D
- » Complies with OSHA's Lockout Standard



LKP

### Economy Lockout Kit with Toolbox

- » Kit contains lockout devices for single- and multi-pole breakers and electrical plugs, as well as hasps, padlocks, tags and a training booklet
- » Comes in a convenient toolbox made of rugged polyethylene that measures 4.5 in. H x 12 in. W x 6.5 in. D



65289

### Basic Electrical Lockout Toolbox Kit with 1 Steel Padlock

- » Lockout devices for electrical and mechanical risks
- » Basic lockout toolbox kit that includes your most commonly used electrical devices
- » Includes lockout devices for gate valves, ball valves, electrical plugs, breakers and wall switches, as well as a hasp, tags and padlocks

ITEM #	ORDER #	DESCRIPTION	UOM
LKP	J05200771	Premium Lockout Toolbox Kit	EA
LKX	J05201171	Economy Lockout Kit with Toolbox	EA
65289	J05201151	Basic Electrical Lockout Toolbox Kit with 1 Steel Padlock	EA

**WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



51339



## Nylon Lockout Padlocks – Keyed Different

- » Feature lightweight, nonconductive fiberglass-reinforced nylon bodies, hardened steel shackles and tamper-resistant 6-pin cylinders
- » Comply with all OSHA requirements and offer superior temperature, chemical and corrosion resistance
- » Safer alternative to metal locks for lockout applications
- » Each padlock is keyed differently with keys precision-machined to exacting standards, so that the key for one lock will not open another in the set

ITEM #	ORDER #	DESCRIPTION	UOM
99552	J05200951	Keyed Different, Red	EA
51339	J05200965	Keyed Different, Red	6/PK

**WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



## Nylon Lockout Padlocks - 3 in. Shackle Clearance – Keyed Different

- » Patent-pending linear lock design allows for more precise key cutting, giving you more unique key codes and smoother key operation
- » Find it fast – keys and lock bodies are color matched to help you quickly find the key for your lock
- » Get years of use with the low-friction locking mechanism and durable one-piece body design
- » Nylon padlocks with steel shackles are lightweight and durable making them ideal for general lockout applications



ITEM #	ORDER #	DESCRIPTION	UOM
NYL-RED-76ST-KD	J05200341	Red	EA
NYL-YLW-76ST-KD	J05200351	Yellow	EA
NYL-BLU-76ST-KD	J05200361	Blue	EA



# Lockout/Tagout



## SafeKey Lockout Padlocks – Keyed Alike

- » Fewer keys, less confusion – six padlocks are keyed alike so each lock in the group can be opened with the same key, reducing the number of keys you need to track
- » Ideal for employees who work on multiple machines or isolation points
- » Patent-pending linear lock design allows for more precise key cutting, giving you more unique key codes and smoother key operation
- » Find it fast – keys and lock bodies are color matched to help you quickly find the key for your lock
- » Get years of use with the low-friction locking mechanism and durable one-piece body design
- » Keep it together – padlock is key retaining so you can keep your key and padlock together when not in use
- » 1.5 in. vertical clearance



NYL-BLU-38ST-KA6PK

ITEM #	ORDER #	DESCRIPTION	UOM
<b>Nylon Padlocks with Steel Shackles</b>			
NYL-RED-38ST-KA6PK	J05200835	Keyed Alike, Red	6/PK
NYL-YLW-38ST-KA6PK	J05200845	Keyed Alike, Yellow	6/PK
NYL-GRN-38ST-KA6PK	J05200855	Keyed Alike, Green	6/PK
NYL-BLU-38ST-KA6PK	J05200865	Keyed Alike, Blue	6/PK
<b>Nylon Padlocks with Plastic Shackles - Non-conductive and Non-sparking</b>			
NYL-RED-38PL-KA6PK	J05200875	Keyed Alike, Red	6/PK
NYL-YLW-38PL-KA6PK	J05200885	Keyed Alike, Yellow	6/PK
NYL-GRN-38PL-KA6PK	J05200895	Keyed Alike, Green	6/PK
NYL-BLU-38PL-KA6PK	J05200905	Keyed Alike, Blue	6/PK



NYL-RED-38PL-KA6PK



## SafeKey Lockout Padlocks – Keyed Different

- » SafeKey padlocks get up to 700% more key codes than traditional safety padlocks
- » Patent-pending linear lock design allows for more precise key cutting, giving you more unique key codes and smoother key operation
- » Keys and lock bodies are color matched to help you quickly find the key for your lock
- » Get years of use with the low-friction locking mechanism and durable one-piece body design
- » Padlock is key retaining to keep your key and padlock together when not in use
- » Single keyed different padlocks are ideal for starting, or expanding, your lockout program
- » 1.5 in. vertical clearance



NYL-YLW-38ST-KD

ITEM #	ORDER #	DESCRIPTION	UOM
<b>Nylon Padlocks with Steel Shackles</b>			
NYL-RED-38ST-KD	J05200251	Red	EA
NYL-YLW-38ST-KD	J05200261	Yellow	EA
NYL-GRN-38ST-KD	J05200271	Green	EA
NYL-BLU-38ST-KD	J05200281	Blue	EA
NYL-RED-38ST-KD6PK	J05200795	Red	6/PK
NYL-YLW-38ST-KD6PK	J05200805	Yellow	6/PK
NYL-GRN-38ST-KD6PK	J05200815	Green	6/PK
NYL-BLU-38ST-KD6PK	J05200825	Blue	6/PK

ITEM #	ORDER #	DESCRIPTION	UOM
<b>Nylon Padlocks with Plastic Shackles - Non-conductive and Non-sparking</b>			
NYL-RED-38PL-KD	J05200371	Red	EA
NYL-YLW-38PL-KD	J05200381	Yellow	EA
NYL-GRN-38PL-KD	J05200391	Green	EA
NYL-BLU-38PL-KD	J05200401	Blue	EA
NYL-RED-38PL-KD6PK	J05200915	Red	6/PK
NYL-YLW-38PL-KD6PK	J05200925	Yellow	6/PK
NYL-GRN-38PL-KD6PK	J05200935	Green	6/PK
NYL-BLU-38PL-KD6PK	J05200945	Blue	6/PK



# Lockout/Tagout

LOCKOUT/TAGOUT



## V-Safe® Wheel Valve Cover Lockouts

- » The V-Safe® wheel valve cover consists of two flattened half moons that completely cover the valve wheel
- » Made of strong polypropylene plastic
- » Fully Dielectric
- » Highly resistant to cracking and abrasion
- » Resistant to extreme temperature changes from - 50° to 360°F



VS02



ITEM #	ORDER #	DESCRIPTION	UOM
VS02	347620021	For Wheel Valves 1" - 2.5"	EA
VS04	347620041	For Wheel Valves 2.5" - 5"	EA
VS06	347626071	For Wheel Valves 5" - 6.5"	EA
VS09	347626111	For Wheel Valves 6.5" - 10"	EA
VS13Y	347626161	For Wheel Valves 10" - 13"	EA



## B-Safe® Ball Valve Lockouts

- » Lockout and tagout
- » Dielectric
- » Resistant to most solvents
- » Made of polypropylene plastic



BS01R



BS04R

ITEM #	ORDER #	DESCRIPTION	UOM
BS01R	347600031	For Ball Valves "In Open Position" .375" – 1.25", .875"W Handle	EA
BS02R	347699021	For Ball Valves 1.5" - 2.5", .875"W Handle	EA
BS03R	347605991	For Ball Valves 2" - 8", 1.625"W Handle	EA
BS04R	347606051	Universal Butterfly Valve, 1.625"W Handle	EA




CBLOK06R

## Multi-Purpose Cable Lockouts

- » Highly visible red nylon hasp holds up to 6 padlocks
- » PVC coated .1875" thick galvanized steel cable
- » Available in corrosion resistant cables, 6' or 10' lengths

ITEM #	ORDER #	DESCRIPTION	UOM
CBLOK06R	347607411	6' Long Cable	EA
CBLOK10R	347607421	10' Long Cable	EA



MS01

## M-Safe® Lockout Hasp

- » Electrical safety lockout hasp
- » Bright red heavy-duty nylon hasp holds up to 6 padlocks
- » Fully Dielectric

ITEM #	ORDER #	DESCRIPTION	UOM
MS01	347619881	Heavy-Duty Nylon Lockout Hasp	EA



# Lockout/Tagout



CB01R



CB02R



CB03R

## C-Safe® Circuit Breaker Lockouts

- » Available in single or double pole circuit breaker configurations
- » Made of red Polyamide plastic
- » 6 per pack

ITEM #	ORDER #	DESCRIPTION	UOM
CB01R	347600075	Single Pole, Requires a Circuit Breaker with a Recessed Hole. Fits Breakers to .5625"W (14 mm) in Off Position, 6/Pk	PK
CB02R	347607455	Double pole, Requires Circuit Breakers Connected with a Cross Bar. Fits Breakers up to .625"W (16 mm) in Off Position, 6/Pk	PK
CB03R	347600135	Single Pole, Does Not Require a Switch with a Recessed Hole. Fits Breakers to .5625"W (14 mm), 6/Pk	PK



## E-Safe® Plug Lockout Kits

- » Electrical plug lockout kits
- » Lock-a-Plug shell completely encloses the plug when closed
- » Fully Dielectric
- » Made of red polypropylene plastic

ITEM #	ORDER #	DESCRIPTION	UOM
LP110	347601101	For 110 V, Cord Dia to .5" (12 mm). Plug to 1.75" x 1.75" x 3.25" (44.5 x 44.5 x 82 mm)	EA
LP550	347605501	For 220/550 V, Cord Dia to 1" (25 mm). Plug to 3" x 3" x 6.75" (76 x 76 x 170 mm)	EA



LP110



LP550



## Lockout Group Lock Box

- » Steel storage box for lockout tag-out
- » Stores padlocks until the job is complete
- » Accepts up to 13 individual locks
- » Bright red steel box



GLB03



ITEM #	ORDER #	DESCRIPTION	UOM
GLB03	347617041	Group Lock Box	EA