



# Hazard Storage

HAZARD STORAGE



## 55 Gallon Safety Drum Cover

- » Turn ordinary drums into fire-safe waste collection centers
- » Simply use a screwdriver and wrench to attach the cover to a drum
- » Spring-loaded cover slams shut in case of fire
- » Durable steel construction with powder-coat finish
- » Excellent chemical resistance



26750

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

ITEM #	ORDER #	UOM
26750	B61614361	EA



## EcoPolyBlend™ Drum Accumulation Center

- » EcoPolyBlend™ black is 100% recycled polyethylene and yellow is 30% recycled
- » Resist chemical attack from hazardous acids, caustics and solvents
- » Seamless construction eliminates leaks, making these ideal for drum filling and dispensing operations
- » Self-locating grates won't ride-up and are removable for easy cleaning
- » EPA, SPCC compliant and meets fire codes

**Ships Direct FOB Mfg.**



28657

ITEM #	ORDER #	DESCRIPTION	UOM
28657	B6168657	4 Drum Unit, Black, 49"W x 5.5"H x 49"D	EA
28656	B6168656	4 Drum Unit, Yellow, 49"W x 5.5"H x 49"D	EA
28623	B6168623	2 Drum Unit w/ Oversized Sump, 49"W x 18"H x 25"D	EA



09300



## Oily Waste Cans

- » Dispose of oil-soaked rags
- » Foot operated lid opens to no more than 60° and stays closed when not in use
- » Prevent fires caused by stray sparks or spontaneous combustion
- » Round construction and elevated base allow circulation of air to disperse heat
- » Steel construction with powder-coat finish provides chemical resistance
- » Ten-year warranty - OSHA compliant
- » Approved by FM, UL/ULC and TUV

ITEM #	ORDER #	DESCRIPTION	UOM
09100	B61606921	6 Gal, 15.875"H x 11.875" Outer Dia.	EA
09300	B61606971	10 Gal, 18.25"H x 13.938" Outer Dia.	EA
09500	B61607011	14 Gal, 20.25"H x 16.063" Outer Dia.	EA
09700	B61607041	21 Gal, 23.438"H x 18.375" Outer Dia.	EA



## Smokers Cease Fire® Cigarette Butt Receptacles

- » Innovative self-extinguishing design
- » Made of flame-retardant and sturdy polyethylene
- » Galvanized collection steel bucket
- » Tie-down notches offer security and stability
- » Fire tested and FM-approved

ITEM #	ORDER #	DESCRIPTION	UOM
26800D	B6160003	Deco Black, 4 Gal, 38.5" H x 16.5" Outer Dia.	EA
26800	B6160010	Pewter Gray, 4 Gal, 38.5" H x 16.5" Outer Dia.	EA
26800B	B6160001	Adobe Beige, 4 Gal, 38.5" H x 16.5" Outer Dia.	EA



26800D

26800

26800B



# Hazard Storage



## Sure-Grip® EX Countertop and Compac Safety Cabinets for Flammables

- » Protect workers, reduce fire risks and improve productivity by storing flammables and chemicals in code-compliant safety cabinets
- » 18-gauge (1-mm) thick double-wall construction, welded steel with 1.5" (38 mm) of insulating air space for fire resistance
- » High-performance, self-latching doors
- » U-Loc™ handle comes with a cylinder lock and key set or accepts an optional padlock
- » Patented SpillSlope® galvanized steel shelf directs spills to leak-proof bottom sump
- » Lead-free epoxy/polyester powder-coat finish provides chemical resistance
- » Ten-year warranty - OSHA and NFPA compliant

Ships Direct **FOB Mfg.** 



890400



891200

ITEM #	ORDER #	DESCRIPTION	UOM
890400	B6164400	4 Gal Countertop, Manual Closing Door, 22" H x 17" W x 17" D	EA
890420	B6161801	*4 Gal Countertop, Self-Closing Door, 22" H x 17" W x 17" D	EA

### FM Approved

891200	B6161796	12 Gal, Manual Closing Door, 35" H x 23.25" W x 18" D	EA
891220	B6161803	*12 Gal, Self-Closing Door, 35" H x 23.25" W x 18" D	EA

\*  **WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## Sure-Grip® EX Safety Cabinets for Flammables

- » Protect workers, reduce fire risks, and improve productivity by storing flammables and chemicals in code-compliant safety cabinets
- » 18-gauge (1 mm) thick double-wall construction, welded steel with 1.5" (38-mm) of insulating air space for fire resistance
- » High-performance, self-latching doors
- » U-Loc™ handle comes with a cylinder lock and key set or accepts an optional padlock
- » Patented SpillSlope® galvanized steel shelf directs spills to leak-proof bottom sump
- » Cabinets have dual vents with flame arresters, four adjustable self-leveling feet, grounding connector and trilingual warning label
- » Lead-free epoxy/polyester powder-coat finish provides chemical resistance
- » Ten-year warranty - OSHA and NFPA compliant, FM approved



896020

Ships Direct **FOB Mfg.** 

ITEM #	ORDER #	DESCRIPTION	UOM
<b>30 Gal Cabinets (44"H x 43"W x 18"D)</b>			
893000	B6168930	2 Doors, 1 Shelf, Manual Closing Door	EA
893020	B6163020	*2 Doors, 1 Shelf, Self-Closing Door	EA
<b>45 Gal Cabinets (65"H x 43"W x 18"D)</b>			
894500	B61611021	2 Doors, 2 Shelves, Manual Closing Door	EA
894520	B6164520	2 Doors, 2 Shelves, Self-Closing Door	EA
<b>60 Gal Cabinets (65"H x 34"W x 34"D)</b>			
896000	B6166000	2 Doors, 2 Shelves, Manual Closing Door	EA
896020	B6161795	2 Doors, 2 Shelves, Self-Closing Door	EA

\*  **WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



# Hazard Storage

HAZARD STORAGE



## Type I Steel Safety Cans

- » High-grade coated steel, each can is tested to guarantee 100% leak-proof construction
- » Single spout for filling and pouring
- » Sealed lid features automatic positive-pressure relief that vents between 3 and 5 psig (0.2 and 0.35 bar) to guard against rupture or explosion
- » Cans equipped with a stainless-steel flame arrester which dissipates heat to stop flashback ignition
- » Durable steel construction with powder-coat finish
- » OSHA and NFPA compliant
- » Approved by FM, UL/ULC and TUV



10301



7150110



7150200

ITEM #	ORDER #	DESCRIPTION	UOM
<b>Red, Type I Flammable Fuel</b>			
10301	B61607181	1 Gal w/ Trigger Handle, 11.5"H x 7.25" Outer Dia.	EA
7110100	B61621001	1 Gal w/ Swinging Handle, 11"H x 9.5" Outer Dia.	EA
7120100	B61631001	2 Gal w/ Swinging Handle, 13.75"H x 9.5" Outer Dia.	EA
7125100	B61651001	2.5 Gal w/ Swinging Handle, 11.5"H x 11.75" Outer Dia.	EA
7150100	B61618091	5 Gal w/ Swinging Handle, 16.875"H x 11.75" Outer Dia.	EA
7150110	B61651101	5 Gal w/ Funnel, Swinging Handle, 16.875"H x 11.75" Outer Dia.	EA
<b>Yellow, Type I Diesel Fuel</b>			
7150200	B61652001	5 Gal w/ Swinging Handle, 16.875"H x 11.75" Outer Dia.	EA
<b>Polyethylene Funnel</b>			
11202Y	B61608451	For 1 Gal Cans and Above, 11.25"L x 0.5" Outer Dia.	EA



## Type II AccuFlow™ Steel Safety Cans

- » Easy-to-use Safe-Squeeze® trigger for controlled pouring
- » Two-openings; one for targeted pouring, one with lift-lever for easy filling
- » Flexible 9" (229 mm) long metal hose spout helps control the pour into small openings
- » Sealed lid features automatic positive-pressure relief that vents between 3 and 5 psig (0.2 and 0.35 bar) to guard against rupture or explosion
- » Cans equipped with a stainless-steel flame arrester which dissipates heat to stop flashback ignition
- » Durable steel construction with powder-coat finish, each can is pressure tested
- » Ten-year warranty - OSHA and NFPA compliant
- » Approved by FM, UL/ULC and TUV
- » 17.5" H x 11.75" Outer Dia.



7250120

ITEM #	ORDER #	DESCRIPTION	UOM
7250120	B61661201	5 Gal w/ 0.625" Dia. Hose	EA
7250130	B61631301	5 Gal w/ 1" Dia. Hose	EA