

Helmets & Filters

3M

3M™ Speedglas™ Welding Helmet 100 with Auto-Darkening Filter

- » Shade range: variable 8 - 12
- » Viewing area: 1.73" x 3.66" (44 x 93 mm)
- » Sensitivity: 3 level (TIG>10A & MIG/MAG, Stick)
- » User type: part-time welder, student
- » ANSI Z87.1-2010

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------------|-----------|-------------|-----|
| 07-0012-31BL | 665521121 | Black | EA |



07-0012-31BL



06-0100-20QR

3M

3M™ Speedglas™ 9100QR Welding Helmet with Auto-Darkening Filter and Hard Hat

- » Shade range: variable 5, 8 - 13
- » Sensitivity: 5 level (TIG>1A & MIG/MAG, Stick)
- » Side windows with shade 5 side filters
- » User type: professional, specialty

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------------|-----------|--|-----|
| 06-0100-20QR | 665545831 | Auto-Darkening Filter 9100X with Viewing Area - 2.1" x 4.2" (54 x 107 mm) | EA |
| 06-0100-30QR | 665534671 | Auto-Darkening Filter 9100XX with Viewing Area - 2.8" x 4.2" (73 x 107 mm) | EA |

3M

3M™ Speedglas™ Welding Helmet 9000 and 9002NC

- » Precision optics, which provide a view that appears lighter, brighter and more realistic, giving you better control of the weld puddle
- » A more comfortable suspension for longer wear time
- » Lighter weight, better for longer wearing, just 17 oz
- » Slim fit, better for tight spots

Helmet 9002NC

- ADF shade range: variable 8 - 12 ADF
- Sensitivity: 4 level (TIG>10A & MIG/MAG, stick)
- Viewing area: (H x W) 2.13" x 4.09"
- ANSI Z87.1-2010



04-0100-20NC

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------------|-----------|--|-----|
| 04-0112-00NC | 665541451 | Welding Helmet 9000 without Welding Filter | EA |
| 04-0000-21NC | 665541461 | Welding Filter for use with Helmet 9000 | EA |
| 04-0212-02NC | 665541471 | Faceshield Front Panel for Welding Helmet 9000 | EA |
| 04-0100-20NC | 665541481 | Welding Helmet 9002NC with ADF | EA |

WARNING

These welding safety products must be used only by qualified persons trained in their use and maintenance and only in strict accordance with and adherence to the detailed instruction and precautionary statements provided in the instruction manual which accompanies each product. **Failure to comply with these instructions could result in sickness, serious bodily injury or loss of life.**

For proper use of these products read *User Instructions* and Warnings on the package. Any questions concerning proper use should be directed to your supervisor, on-site training specialist, industrial hygienist or 3M Occupational Health and Environmental Safety Division (PSD) Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414.



Helmets & Filters



3M™ Speedglas™ 9100 Welding Helmet with Auto-Darkening Filter

- » Shade range: variable 5, 8 - 13
- » Sensitivity: 5 level (TIG>1A & MIG/MAG, Stick)
- » Side windows with shade 5 side filters
- » User type: professional, specialty



06-0000-30i-KIT



06-0100-30iSW

| ITEM # | ORDER # | DESCRIPTION | UOM |
|-----------------|-----------|--|-----|
| 06-0100-30iSW | 665521091 | Helmet with Auto-Darkening Filter 9100XXi | EA |
| 06-0000-30i | 665521051 | Auto-Darkening Filter 9100XXi | EA |
| 06-0000-30i-KIT | 665534681 | Kit Includes Auto-Darkening Filter 9100XXi and Front Panel | EA |

WARNING

These welding safety products must be used only by qualified persons trained in their use and maintenance and only in strict accordance with and adherence to the detailed instruction and precautionary statements provided in the instruction manual which accompanies each product. **Failure to comply with these instructions could result in sickness, serious bodily injury or loss of life.**

For proper use of these products read *User Instructions* and Warnings on the package. Any questions concerning proper use should be directed to your supervisor, on-site training specialist, industrial hygienist or 3M Occupational Health and Environmental Safety Division (PSD) Technical Service in the U.S.A. at 1-800-243-4630. In Canada, call Technical Service at 1-800-267-4414.



Jackson Safety* HSL100 NexGen Digital Variable ADF Welding Helmet

- » Variable shade 9 - 13
- » Viewing area: 3.80" x 2.35"
- » Easy to use digital controls
- » Sensitivity and delay adjustments for different tasks and durations



16622



46148

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|----------------------------------|-----|
| 46148 | 154003961 | Black Helmet | EA |
| 16622 | C24118191 | Digital Auto-Darkening Cartridge | EA |



Jackson Safety* W20 Fiber Shell Welding Helmets

- » Lightweight vulcanized fiber shell
- » Made of 10% recycled fiber content
- » Not suited for damp environments or overhead welding
- » Fixed front with aluminum frame filter plate holder
- » Meets ANSI Z87.1-2010



14528

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|--|-----|
| 14527 | C24125321 | 411P Viewing Field 2" x 4.25", Fixed Front with Aluminum Frame Filter Plate Holder | EA |
| 14528 | C24113691 | 430P Viewing Field 2" x 4.25", Lift Front Filter | EA |
| 14529 | C24113931 | 451P Viewing Field 4.5" x 4.25" | EA |
| 14532 | C24114101 | 490P Viewing Field 2" x 4.25", Quick-Slide Filter Plate Holder | EA |



Helmets & Filters



14531



Jackson Safety* W20 860 Lift Front Leather Welding Helmet

- » Viewing field: 2" x 4.25"
- » Shell material: leather
- » ANSI Z87.1 and CSA Compliant

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 14531 | C24114391 | Red Leather | EA |



14535



Jackson Safety* W10 Series Passive Welding Helmets

- » Lightweight, pliable shell
- » Equipped with a shade 10 polycarbonate filter
- » ANSI Z987.1 and CSA Compliant

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|---|-----|
| 14534 | C24114461 | 930P, Lift Front, Viewing Area 2" x 4.25" | EA |
| 14535 | C24114471 | 951P, Viewing Area 4.5" x 5.25" | EA |



14975



Jackson Safety* W10 HSL 100 Passive Welding Helmets

- » A shade 10 polycarbonate filter
- » For students, hobbyist and inspectors
- » ANSI Z87.1, CSA Compliant and CE Marked

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|---|-------|
| 14975 | C24116621 | Black, Viewing Field 4.5" x 5.25" | EA |
| 14978 | C24116661 | Black with 187 Blades | EA |
| 14982 | C24116711 | HSL 2 Black, Viewing Field 2" x 4.25", Lift Front | EA |
| 15134 | C2419459 | Black, Viewing Field 4.5" x 5.25" (Bulk) | 10/Cs |



21931



Jackson Safety* W40 NITRO* Welding Helmet with NITRO* Auto-Darkening Filter

- » Variable shade 9 - 13
- » Viewing area: 3.80" x 1.60"
- » For the everyday welder
- » ANSI Z87.1, CSA Compliant

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|------|
| 21931 | C24182301 | Blue | EA |
| 36633 | C2416633 | Black | 2/Cs |



Helmets & Filters



46131



Jackson Safety* INSIGHT Digital Variable ADF Welding Helmet

- » Variable shade: 9 - 13
- » Viewing area: 3.93" x 2.36"
- » 4 independent auto dimming sensors
- » ANSI Z87.1-2010 and CSA Z94.3 Compliant
- » Digital controls

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|---|-----|
| 46129 | 154003861 | HSL 100 Welding Helmet with Insight* Variable ADF – Black | EA |
| 46131 | 154003991 | HLX 100 Welding Helmet with Insight* Variable ADF – Black | EA |



23282



Jackson Safety* ELEMENT* Variable ADF Welding Helmet

- » Variable shade: 9 - 13
- » Viewing area: 3.78" x 1.65"
- » Sensitivity and delay adjustments
- » Two independent sensors
- » Solar-powered
- » ANSI Z87.1-2010 and CSA Z94.3 Compliant

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|---|-----|
| 23282 | C24124631 | Variable ADF, Viewing Field 3.78" x 1.65" | EA |



46157



Jackson Safety* BH3* Helmet with BALDER* Technology

- » Variable shade (9 - 13), adjustable sensitivity and opening time delays
- » Auto-On ADF is always ready to weld
- » Meets ANSI Z87.1 High Impact 2010 standard, CE Certified, DIN Plus Certified

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|----------|--------------|-----|
| 46157 | 15400564 | Black/Orange | EA |



46163



46162



Jackson Safety* TrueSight II Digital Variable ADF Welding Helmet with Balder Technology

- » Variable shade: 5 - 8 and 9 - 13
- » Viewing area: 3.25" x 4.00"
- » 4 sensors and auto off
- » Delay and sensitivity adjustments
- » ANSI Z87.1-2010 and CSA Z94.3 Compliant
- » DIN Plus Certified



46158

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|----------|------------------------|-----|
| 46163 | 15400563 | Arc Angel | EA |
| 46162 | 15400561 | Serpent | EA |
| 46158 | 15400559 | TrueSight II Cartridge | EA |
| 46159 | 15400560 | Black | EA |



Helmets & Filters



Jackson Safety* AIRMAX ELITE* Powered Air Purifying Respirator with BH3* Air Headpiece

- » Variable ADF with grind mode
- » Adjustable shades 6 - 8 (torch) and 9 - 13 via external knob
- » Viewing area of 3.78" x 2.70"
- » Audible and vibrating alarms signal welder when need for new filter or battery change
- » Three-layer filter provides NIOSH approved HE filtration from particulate contaminants



40839

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|----------------------------------|-----|
| 40839 | 154002401 | Powered Air Purifying Respirator | EA |



110WH



Pipeliner® Passive Filter Welding Helmet

- » Lightweight SuperGlas Plus material
- » Impervious to moisture and impact-resistant to prevent cracks and chips
- » Specifically designed as a pipe welding helmet
- » Compact design allows access to small spaces and tight clearances where a standard welding helmet won't fit
- » Shade 10 lens for clear viewing

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|---|-----|
| 110WH | 614605131 | 1CR ratchet headgear, 2" x 4 1/4" | EA |
| 110PWE | 347688751 | 1CP rubber headband suspension, 2" x 4" | EA |



990GY



Tigerhood™ Thermoplastic Welding Helmets

- » Provides extended throat protection while blocking fumes and smoke from the face
- » Molded from Noryl®
- » Size and shape allow air to circulate
- » Shade 10 filter plate installed
- » 3C free-floating headgear with multiple adjustments
- » SEI Certified

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|--|-----|
| 990GY | 614608331 | Helmet w/ molded-in glassholder, flash barrier, & wide lens, 4 1/2" x 5 1/4" | EA |
| 5906GY | 614607241 | Helmet w/ molded-in glassholder, 2" x 4" flip up lens | EA |



Horizon™ Safety Glasses

- » Flip-up style lenses
- » Sideshields for extra protection against flying particles
- » Impact-resistant polycarbonate lenses block 99.9% of harmful UVA and UVB radiation
- » Lenses have a scratch-resistant hard coat for longer life
- » Meets ANSI Z87+ (High Impact) standards



S212

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------------------------|-----|
| S212 | 341531301 | Infra-dura® Welding Shade 3.0 | PR |
| S213 | 341531311 | Infra-dura® Welding Shade 5.0 | PR |



Helmets & Filters




Dynaflux Ultraview™ Safety/Cover Lenses

Safety Lenses

- » 100% Polycarbonate Safety Lens
- » Meets or exceeds ANSI Z87.1

Cover Lenses

- » CR-39® Monomer Cover Lens



24CR

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|---|-----|
| SP-1 | C23801011 | UV24SL Safety Plate, 2" x 4", Clear | EA |
| SP-5 | C23801021 | UV45SL Safety Plate, 4" x 5", Clear | EA |
| 24CR | C23821231 | UV24CR Cover Lens, 2" x 4 1/4", Clear | EA |
| 45CR | C23821241 | UV45CR Cover Lens, 4 1/2" x 5 1/4", Clear | EA |

Apparel



6221 & 6120



Flame-Retardant Green Cotton Cape Sleeves and Bib

- » Designed for protection on shoulders, upper chest and arms with increased ventilation on back
- » Sleeves are made from flame-retardant, 9 oz 100% cotton Westex® FR7A®
- » Cool, comfortable, washable. Offers protection from sudden flame exposure, light welding and sparks
- » Snap fasteners
- » Designed for light duty welding only, must keep clean to insure protection

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|------------------------|-----|
| 6221L | C34112321 | Cape Sleeves, Large | EA |
| 6221XL | C34121121 | Cape Sleeves, XLarge | EA |
| 62212X | C34112601 | Cape Sleeves, XXLarge | EA |
| 62213X | C34112611 | Cape Sleeves, XXXLarge | EA |
| 6120 | C34111451 | Bib | EA |



Flame-Retardant Green Cotton Coveralls

- » 9 oz, 100% cotton Westex® FR7A®
- » Snap closures
- » Two inside chest pockets, two rear pockets, two front inset pockets
- » Made extra large to fit over clothes
- » Maintains flame resistance for up to 50 home washings at 145°F or 25 commercial washings up to 165°F
- » Designed for light duty welding only, must keep clean to insure protection

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 6900L | C34116041 | Large | EA |
| 6900XL | C34121711 | XLarge | EA |
| 69002X | C34116211 | XXLarge | EA |
| 69003X | C34116221 | XXXLarge | EA |



6900



Apparel



6230



Flame-Retardant Cotton Jackets

- » 9 oz, 100% cotton Westex® FR7A®
- » Snap fasteners
- » 30" length
- » Maintains flame resistance for up to 50 home washings at 145°F or 25 commercial washings up to 165°F
- » Designed for light duty welding only, must keep clean to insure protection

| ITEM # | ORDER # | DESCRIPTION | UOM |
|---------|-----------|-----------------|-----|
| 6230M | C34113051 | Green Medium | EA |
| 6230L | C34113041 | Green Large | EA |
| 6230XL | C34121481 | Green XLarge | EA |
| 62302X | C34113461 | Green XXLarge | EA |
| 62303X | C34113471 | Green XXXLarge | EA |
| 6230DL | C34112821 | Orange Large | EA |
| 6230DXL | C34121291 | Orange XLarge | EA |
| 6230D2X | C34112851 | Orange XXLarge | EA |
| 6230D3X | C34112861 | Orange XXXLarge | EA |



6217



Flame-Retardant Green Cotton Sleeves

- » 9 oz, 100% cotton Westex® FR7A®
- » 18" length
- » Designed for light duty welding only, must keep clean to insure protection

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|--|-----|
| 6217 | C34112031 | 2.25" Wide External Elastic at Both Ends | PR |
| 6218 | C34112091 | Standard Internal Elastic at Both Ends | PR |



9030



We Weld America Screen Print Green Jacket

- » 9 oz, 100% cotton Westex® FR7A®
- » Snap fasteners 30" length
- » Colorful "We Weld America" screen print on back
- » Maintains flame resistance for up to 50 home washings at 145°F or 25 commercial washings up to 165°F
- » Designed for light duty welding only, must keep clean to insure protection

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 9030L | C34117811 | Large | EA |
| 9030XL | C34122031 | XLarge | EA |
| 90302X | C34117831 | XXLarge | EA |



9230



Combination Flame-Retardant Blue Cotton Torso and Leather Sleeves

- » 9 oz, 100% cotton Westex® FR7A® torso
- » Sleeves made from specially tanned side split cowhide
- » Sleeves sewn with Kevlar® thread
- » Soapstone pocket on each sleeve
- » Spacious inside pocket for small item storage
- » 30" length
- » Designed for light duty welding only, must keep clean to insure protection

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 9230M | C34118031 | Medium | EA |
| 9230L | C34118021 | Large | EA |
| 9230XL | C34122091 | XLarge | EA |
| 92302X | C34118051 | XXLarge | EA |
| 92303X | C34118061 | XXXLarge | EA |



Apparel



Flame-Retardant Goatskin Sleeves

- » 9 oz, royal blue, Westex® FR7A® FR cotton on upper sleeve
- » Top grain goatskin material from wrist to upper arm for key protection
- » 2.25" wide external elastic secures sleeve to arm
- » 18" leather/cotton length, 22" total length
- » Leather seams are sewn with Kevlar® thread
- » Designed for light duty welding only, must keep clean to insure protection



9215

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|----------|------------------|----------|
| 9215 | C3419215 | Goatskin Sleeves | 72 Pr/Cs |



4118



Cowhide Split Waist and Bib Aprons

- » Bourbon brown side split cowhide
- » 24" x 18" waist apron
- » Waist aprons have heavy duty waist securing apron comfortably
- » Sewn with Kevlar® thread

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-----------------------|-----|
| 4118 | C34106511 | Waist Apron 24" x 18" | EA |
| 4236 | C34106591 | Bib Apron 24" x 36" | EA |
| 4242 | C34106601 | Bib Apron 24" x 42" | EA |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Cowhide Split Cape Sleeve and Bib

- » Bourbon brown side split cowhide
- » 3120, 20" bib attaches to 3221 cape sleeve for added protection
- » Both cape sleeve and bib are Kevlar® sewn for strength and heat resistance

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|------------------------------|-----|
| 3120 | C34105791 | Leather Bib, 20" length | EA |
| 3221M | C34105891 | Leather Cape Sleeve, Medium | EA |
| 3221L | C34105881 | Leather Cape Sleeve, Large | EA |
| 3221XL | C34120331 | Leather Cape Sleeve, XLarge | EA |
| 32212X | C34106091 | Leather Cape Sleeve, XXLarge | EA |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



3120



526



Cowhide Split Leather Shoe Protector

- » Ankle high, made from tough side split cowhide
- » Rivet reinforced stress points
- » Adjustable straps to secure protector on shoe
- » Sewn with Kevlar® thread

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 526 | C34107251 | Ankle High | PR |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Gloves



1000



Shoulder Split Cowhide Stick Welders Gloves

- » Pearl, shoulder split cowhide
- » 14" length
- » Inside cotton lined for comfort
- » Durable welted fingers protect cotton stitching
- » A lock stitching with cotton thread

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 1000 | C34100451 | Large | PR |

⚠️ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Slightly Select Shoulder Split Cowhide Stick Welders Gloves

- » Durable, russet, economy select shoulder split cowhide
- » 14" length
- » Cotton lined for comfort
- » Reinforced thumb
- » Durable welted fingers protect stitching
- » Includes lock stitching with Kevlar® thread for added strength

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 1012 | C34100691 | Large | PR |

⚠️ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



1012



Select Shoulder Split Cowhide Stick Welders Gloves

- » Durable, blue, slightly select shoulder split cowhide
- » 14" length
- » Insulated with cotton/foam lined material for added heat protection
- » Reinforced thumb
- » Durable welted fingers protect stitching
- » Features lock stitching with Kevlar® thread for added strength



1018

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 1018 | C34100781 | Large | PR |
| 1018XL | C34122491 | XLarge | PR |

⚠️ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Gloves



1075

Premium Cowhide Split "We Weld America" Stick Welders Gloves

- » Fully featured welding glove with WE WELD AMERICA logo on cuff
- » More durable, premium red, blue and pearl side split cowhide
- » 14" length
- » Insulated with cotton/foam lined material
- » Double reinforced thumb
- » Durable welted fingers protect stitching
- » A lock stitching with Kevlar® thread for added strength

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 1075 | C34100961 | Large | PR |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



1105

Small Hands Stick Welders Gloves

- » Small hands sized, blue, shoulder split cowhide
- » 12" length
- » Cotton/foam lined for added heat protection
- » Durable welted fingers protect stitching
- » A lock stitching with Kevlar® thread for added strength

| ITEM # | ORDER # | DESCRIPTION | UOM |
|----------|-----------|-------------|-----|
| 1105WBXS | C34118751 | XSmall | PR |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



1155

Insulated Extended Cuff Stick Welders Gloves

- » Premium, durable side split cowhide for strength
- » 20" length
- » Cotton/foam lined for moisture absorption and heat protection
- » Insulated extended cuff for added heat protection on forearms
- » Double reinforced wing thumb for extra strength on key stress areas to maximize wear and protection
- » Welted fingers protect stitching from burning and abrasion
- » Sewn with Kevlar® thread for added strength

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 1155 | C34122731 | Large | PR |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



1250

Premium Cowhide Split Stick Welders Gloves

- » More durable, premium blue side split cowhide
- » 14" length
- » Cotton/foam lined for additional heat protection and moisture absorption
- » Double reinforced thumb
- » Durable welted fingers protect stitching
- » Includes lock stitching with Kevlar® thread for added strength

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 1250M | C34101321 | Medium | PR |
| 1250L | C34101301 | Large | PR |
| 1250XL | C34101271 | XLarge | PR |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Gloves



24C



Kidskin TIG Welders Gloves

- » Premium top grain pearl kidskin leather enhances feel and durability
- » Unlined to maximize feel and dexterity
- » 4" cuff for added protection
- » Straight thumb for best gun grip
- » Includes lock stitching with Kevlar® thread for added strength

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 24CS | C34105161 | Small | PR |
| 24CM | C34105151 | Medium | PR |
| 24CL | C34105141 | Large | PR |
| 24CXL | C34119951 | XLarge | PR |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



24D



Kidskin TIG Welders Gloves

- » Shorter cuff version of the 24C
- » Premium top grain pearl kidskin leather enhances feel and durability
- » Unlined to maximize feel and dexterity
- » 2" cuff for added protection
- » Straight thumb
- » Includes lock stitching with Kevlar® thread for added strength

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 24DS | C34105201 | Small | PR |
| 24DM | C34105191 | Medium | PR |
| 24DL | C34119971 | Large | PR |
| 24DXL | C34120001 | XLarge | PR |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



30



Pigskin TIG Welders Gloves

- » Made of top grain pearl pigskin, resists oil and water
- » 4" cuff for added protection
- » Straight thumb Includes lock stitching with Kevlar® thread for added strength

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 30M | C34105741 | Medium | PR |
| 30L | C34105731 | Large | PR |
| 30XL | C34120211 | XLarge | PR |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



1328



Goatskin TIG Welders Gloves

- » Top grain pearl goatskin leather for superior feel and dexterity
- » Seamless forefinger for enhanced feel
- » 4" cuff, wing thumb
- » Lock stitched with Kevlar® thread for added strength

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 1328S | C34101621 | Small | PR |
| 1328M | C34101611 | Medium | PR |
| 1328L | C34101601 | Large | PR |
| 1328XL | C34118871 | XLarge | PR |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Gloves



Insulated Goatskin MIG Welders Gloves

- » A top grain goatskin palm for best feel, cowhide split back resists heat
- » Fleece lined for added heat protection without the bulk
- » Straight thumb for best gun grip
- » Thumb strap reinforcement for extra strength
- » Elastic back for snug fit
- » 3.5" cuff for added protection
- » Sewn with Kevlar® stitching to protect seams

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 48M | C34123481 | Medium | PR |
| 48L | C34123491 | Large | PR |
| 48XL | C34123501 | XLarge | PR |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Cowhide MIG Welders Gloves

- » Heavy duty pearl top grain cowhide, unlined
- » 4" cuff for added protection
- » Wing thumb, seamless forefinger for comfort
- » Includes lock stitching with Kevlar® thread for added strength



| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 1350S | C34101761 | Small | PR |
| 1350M | C34101751 | Medium | PR |
| 1350L | C34101741 | Large | PR |
| 1350XL | C34118961 | XLarge | PR |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Insulated Grain Split MIG Welders Gloves

- » Top grain goatskin palm for enhanced feel and dexterity
- » Cowhide split back with elastic for best fit
- » Thumb strap and patch reinforcement for added strength and protection
- » Glide patches on side of palm and cuff eases movement when welding, adds protection
- » Fleece lined for added heat protection without the bulk
- » Longer 5" cuff for additional protection
- » Kevlar® stitching protects seams

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 49L | C34101125 | Large | PK |
| 49XL | C34101135 | XLarge | PK |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



Pigskin MIG Welders Gloves

- » Premium heavyweight top grain pigskin
- » Great in wet and oily conditions
- » Unlined palm for dexterity, cotton/foam lined back for added heat protection
- » 4" cuff
- » Straight thumb with added reinforcement strap
- » Includes lock stitching with Kevlar® thread for added strength



| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 42M | C34106551 | Medium | PR |
| 42L | C34106541 | Large | PR |
| 42XL | C34120481 | XLarge | PR |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Gloves



Reinforced Cowhide MIG Welders Gloves

- » A top grain cowhide palm with cowhide split reinforcements
- » Cowhide split back with elastic for best fit
- » Seamless top grain index finger for best feel
- » Fleece lined for added insulation in hot or cold conditions without the bulk
- » 4" cuff for added protection
- » Sewn with Kevlar® for strength and heat resistance

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 50M | C34150501 | Medium | PR |
| 50L | C34124501 | Large | PR |
| 50XL | C34124511 | XLarge | PR |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



50



Premium Elkskin Stick Welders Gloves

- » Pearl premium elkskin stays soft even when hot
- » 14" length
- » Durable welted fingers protect stitching
- » Reinforced thumb
- » Cotton/foam lined back for added heat protection, unlined palm for enhanced dexterity
- » Durable lock stitching with Kevlar® thread for added strength

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 750M | C34116661 | Medium | PR |
| 750L | C34116651 | Large | PR |
| 750XL | C34121841 | XLarge | PR |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



750



Premium Gold Elkskin Stick Welders Gloves

- » Gold premium elkskin stays soft even when hot
- » 14" length
- » Durable welted fingers protect stitching
- » Reinforced thumb
- » Cotton/foam lined back for added heat protection, unlined palm for dexterity
- » Lock stitched with Kevlar® thread for added strength

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|-------------|-----|
| 850M | C34117541 | Medium | PR |
| 850L | C34117531 | Large | PR |
| 850XL | C34121981 | XLarge | PR |

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov



850



Gloves



Premium Elkskin Stick Welding Glove

- » Elk split leather palm for ultimate comfort
- » Leather back of hand elk split leather
- » Cotton lining and foam insulation for heat resistance
- » Palm reinforcements cow split leather
- » 10" safety cuff
- » Welled seams with Kevlar® stitching for durability and protection in high heat environments
- » Conforms to EN407 413X4X and EN388 Category 2



WSTK-02

| ITEM # | ORDER # | DESCRIPTION | UOM |
|---------------|-----------|-------------|-----|
| WSTK-02-S | C34804361 | Small | PR |
| WSTK-03-M | C34804371 | Medium | PR |
| WSTK-04-LG | C34804381 | Large | PR |
| WSTK-05-XLG | C34804391 | XLarge | PR |
| WSTK-06-XXLG | C34804441 | XXLarge | PR |
| WSTK-07-XXXLG | C34804451 | XXXLarge | PR |



Premium MIG Welding Gloves

- » Robust buffalo leather for heat resistance
- » Cow split leather palm
- » Leather back of hand
- » Palm reinforcements
- » 6" safety cuff
- » Welled seams with Kevlar® stitching
- » Conforms to EN407 413X4X and EN388 Category 2




WMIG-02

| ITEM # | ORDER # | DESCRIPTION | UOM |
|---------------|-----------|-------------|-----|
| WMIG-02-S | C34804321 | Small | PR |
| WMIG-03-M | C34804331 | Medium | PR |
| WMIG-04-LG | C34804341 | Large | PR |
| WMIG-05-XLG | C34804351 | XLarge | PR |
| WMIG-06-XXLG | C34804421 | XXLarge | PR |
| WMIG-07-XXXLG | C34804431 | XXXLarge | PR |



Economy Backhand Pad

- » Standard double layer back-hand pad
- » Top layer Aluminized Rayon (AR)
- » Bottom layer acrylic coated fiberglass
- » Leather and elastic straps
- » Pad measures 5.5"W x 7.5"H



550X

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|--------------|-----|
| 550X | C34108011 | Double-Layer | EA |



Premium Backhand Pad

- » Top: Aluminized Carbon Kevlar® (ACK)
- » Middle: Layer of 1500°F melt, ceramic wool material
- » Bottom: Acrylic coated fiberglass
- » Leather and elastic straps
- » 7.5"H x 5.5"W



554

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|--------------|-----|
| 554 | C34108041 | Triple-Layer | EA |



Standard Backhand Pad

- » Top: Aluminized Carbon Kevlar® (ACK)
- » Bottom: Vermiculite coated fiberglass
- » Leather and elastic straps
- » 7.5"H x 5.50"W



550

| ITEM # | ORDER # | DESCRIPTION | UOM |
|--------|-----------|--------------|-----|
| 550 | C34108001 | Double-Layer | EA |